

ENHANCE

Paver Color

RESTORE

Paver Beauty

PROTECT

Your Investment





Choose the Look You Want



Penetrating sealers create an invisible protective barrier. Available in Paver Seal (PS, PSX), Wetcast Seal (W-PSX) and Premium Stone Seal (S-PS, S-PSX).




Low Gloss sealers create a protective barrier while providing a color-enhancing surface sheen. Available in Paver Seal (LG, LGX) and multi-surface Specialty Seal (DG).



High Gloss sealers provide protection with a wet look. Available in Paver Seal (HG, HGX), Wetcast Seal (W-HGX) and Premium Stone Seal (S-HGX).

Seal to Protect Your Investment



Prevent Damage and Lock Out:

- ▶ Salt/Acid Rain
- ▶ Pool Chemicals
- ▶ Color Fade
- ▶ Surface Erosion
- ▶ Deep Staining
- ▶ Freeze/Thaw

In these images you can see how unsealed pavers allow moisture and contaminants to seep into the surface. In contrast, water and salt pools on top of the sealed surface.

Choose the Best Formula for Your Paver Project

2 Levels of Protection

Choose the "X-treme" version for commercial-grade protection in high traffic areas.



Regular

OR

X-treme



SRWI PRODUCTS Paver Seal™ APPLICATION CHART	Surface Material			SRW Sealer Benefits					
	Concrete Pavers	Clay Pavers	Concrete Permeable Pavers	Penetrating/ Natural Look	Film-Forming/ Enhancing	Reduce Salt/ Frost Damage	Stabilizes Joint Sand	UV Resistance	Commercial Grade
PS PENETRATING	X	X	X	X		X			
PSX PENETRATING X-TREME	X	X	X	X		X			X
LG LOW GLOSS	X				X	X	X	X	
LGX LOW GLOSS X-TREME	X				X	X		X	X
HG HIGH GLOSS	X				X	X	X	X	
HGX HIGH GLOSS X-TREME	X				X	X		X	X

Always test a small area. Check product label for interior/exterior use. Refer to surface material manufacturer's recommendations on whether or not to seal.



Instructions Made Easy

SRW sealers feature this Easy 4-Step Process to save time and money. For your convenience, you can find the instructions on our website, in our tech sheets, on each product's packaging, and even on our YouTube channel. Scan the QR code or go to bitly.com/SRWyoutube to watch the how-to video!



WATCH HOW
SRW How-To Videos
bitly.com/SRWyoutube



SPANISH INSTRUCTIONS
bitly.com/SRWInstructions



PS Penetrating



for PAVERS

Benefits

- ▶ Invisible/natural-look finish
- ▶ Minimizes salt and freeze/thaw damage
- ▶ Interior/exterior
- ▶ Makes paver maintenance easier



Applications

- ▶ Concrete/Clay Pavers
- ▶ Concrete Permeable Pavers

Not for use on structures under hydrostatic pressure



(Check the chart for specific recommendations.)

Online Resources



bitly.com/PSsealer

LG Low Gloss



for PAVERS

Benefits

- ▶ Low-gloss finish
- ▶ Color enhancing
- ▶ Stabilizes joint sand from washout, weeds & ants
- ▶ Minimizes salt and freeze/thaw damage
- ▶ Provides UV protection
- ▶ Interior/exterior

Applications

- ▶ Concrete Pavers

Not for use on structures under hydrostatic pressure or permeable pavers



(Check the chart for specific recommendations.)

Online Resources



bitly.com/LGsealer

HG High Gloss



for PAVERS

Benefits

- ▶ High-gloss, wet-look finish
- ▶ Minimizes salt and freeze/thaw damage
- ▶ Provides UV protection
- ▶ Stabilizes joint sand from washout, weeds & ants
- ▶ Color enhancing

Applications

- ▶ Concrete Pavers

Not for use on structures under hydrostatic pressure or permeable pavers



(Check the chart for specific recommendations.)

Online Resources



bitly.com/HGsealer

PSX Penetrating X-treme



Benefits

- ▶ Invisible/natural-look finish
- ▶ Minimizes salt and freeze/thaw damage
- ▶ Ideal for high traffic areas
- ▶ Interior/exterior



Applications

- ▶ Concrete/Clay Pavers
- ▶ Concrete Permeable Pavers

Not for use on structures under hydrostatic pressure



(Check the chart for specific recommendations.)

Online Resources



bitly.com/PSXsealer

LGX Low Gloss X-treme



Benefits

- ▶ Low-gloss finish
- ▶ High color enhancement
- ▶ Minimizes salt and freeze/thaw damage
- ▶ Provides UV protection
- ▶ Ideal for high traffic areas

Applications

- ▶ Concrete Pavers

Not for use on structures under hydrostatic pressure or permeable pavers



(Check the chart for specific recommendations.)

Online Resources



bit.ly/LGXsealer

HGX High Gloss X-treme



Benefits

- ▶ High-gloss, wet-look finish
- ▶ Minimizes salt and freeze/thaw damage
- ▶ Provides UV protection
- ▶ Ideal for high traffic areas
- ▶ Color enhancing

Applications

- ▶ Concrete Pavers

Not for use on structures under hydrostatic pressure or permeable pavers



(Check the chart for specific recommendations.)

Online Resources



bitly.com/HGXsealer

BETTER
products

Clean Before Sealing for the Best Bond


Removing all surface stains is essential to getting the best-looking seal, but even if there is no evident staining on the surface, it's still important to use an SRW general purpose wash. Doing so will prepare the surface for optimal bond with the sealer.

Specialty Clean

First, remove all surface stains with SRW Specialty Clean products.

Paver Clean

Second, prepare the surface for sealing with Paver Clean PW Paver Wash.



Paver Clean PW Paver Wash



Benefits

- ▶ Opens surface pores for optimal bond with sealer
- ▶ Restores original paver color
- ▶ Contains no muriatic acid or hydrochloric acid
- ▶ Removes polyhaze, efflorescence and ground-in dirt

Applications

- ▶ Concrete/Clay

Not for use on sealed surfaces. Use after spot treatments.



Online Resources



bitly.com/PWinstruct

EF Efflorescence



Benefits

- ▶ Dissolves mineral deposits (efflorescence)
- ▶ Restores original surface color
- ▶ Contains no muriatic acid or hydrochloric acid
- ▶ Ready to use—no diluting needed

Applications

- ▶ Pavers
- ▶ Concrete
- ▶ Brick/Clay

Not for use on sealed surfaces



Online Resources



bitly.com/EFInstruct

The Best Formulas to Remove Stains & Revitalize Pavers



TR Tar, Gum & Rubber Remover



Benefits

- ▶ Removes tar, gum, rubber and paint
- ▶ Easy to use
- ▶ Rinses clean with water



Online Resources



bitly.com/TRcleaner

OC Organic Stain Cleaner



Benefits

- ▶ Breaks down organic stains from leaves, wood tannins, pine needles, acorns, fruit, wine, etc.
- ▶ Rinses clean with water



Online Resources



bitly.com/OCCleaner

MC Mold, Moss & Mildew Cleaner



Benefits

- ▶ Breaks down mold, moss, mildew, lichen & algae
- ▶ Non-acidic, no-bleach formula
- ▶ No pressure washing, scrubbing or rinsing!



Online Resources



bitly.com/M3Construct

CD Cleaner & Degreaser



Benefits

- ▶ Removes grease, oil and dirt
- ▶ Rinses clean with water
- ▶ Fast-acting concentrated formula



Online Resources



bitly.com/CDinstruct

RE Rust Eliminator



Benefits

- ▶ Removes rust and hard water stains
- ▶ Rinses clean with water
- ▶ Heavy-duty concentrated formula



Online Resources



bitly.com/REinstruct

FAQ

Get answers to our most commonly asked questions. Have a question not answered here? Call us toll-free at 800-752-9326 or e-mail customerservice@srwproducts.com



solid solutions to better hardscapes

How long should I wait after installing polymeric sand?



Wait for sand to fully cure before sealing. Be sure the moisture has been released. We recommend waiting at least 28 days.

What do I use to clean up?



SRW XY Xylene is a fast-acting solvent that thins and dissolves acrylic sealer to aid in tool clean up and overspray.

What if I need to remove sealer?



SRW has a solution for every need. SS Sealer Stripper is a biodegradable, yet industrial-strength formula that removes sealing and curing compounds.

Can I seal if rain is in the forecast?



SRW recommends a clear forecast for at least 24 hours before and after sealer application.

Is it necessary to use an SRW Slit Foam Roller?



Yes. A slit foam roller is the best choice for backrolling because it helps evenly distribute the sealer and prevent it from pooling.

Is it necessary to use a sprayer to apply?



While you can successfully apply SRW sealers using only a Slit Foam Roller, it is highly recommended that a sprayer is used to apply an even coat.

A second person would then follow the sprayer with a slit foam roller to make sure the sealer is evenly distributed and prevent it from pooling.

Professional-Grade Accessories to Get the Job Done Right

Look for these icons next to each sealer to know which accessories to use.



When you see this icon, you'll easily know which sprayer works best. Choose Hudson® Constructo® Spray Thick™ (black).



When you see this icon, we recommend to use the white sprayer for the VOC sealer and the black sprayer for the regular sealer.



We recommend using the Hudson Heavy-Duty Acetone Sprayer (white) with sealers marked with this icon.



When you see this icon, choose our regular slit foam roller.



We recommend using our new X-TREME roller for sealers marked with this icon.

SR Paver Grip can be added into many SRW sealers for slip resistance. Can be used with Paver Seal LG, HG, HGX & HGX VOC



See this icon? You decide which roller to use! Either of our rollers work great with sealers marked with this icon.



These icons identify solvent-based and water-based sealers.



This icon shows approximate coverage. Amounts listed are in square feet per gallon and may vary depending on surface and application.



www.SRWproducts.com | 800-752-9326

